

Applicant : Shandong Denosen Environmental Protection Material
Technology Co., Ltd
Ciyao Chemical Park, Ningyang County, Tai 'an City, Shandong
Province
Attn : ZhuMengmeng

Date : Nov 25, 2025

Sample Description :

One (1) Bag Of Submitted Sample Said To Be Disperse Dye.

Date Received	: Nov 14, 2025
Date Test Started	: Nov 14, 2025
Nature of the Sample Received	: Powder
Application of End Use	: 1.7 Dyes And Pigments
Chemical Formulation Type	: 1.7 Dyes And Pigments 1.7.12 Disperse Dye
Item Name	: Disperse Fluorescent Yellow 8GFF
Alternative Name	: -
Functional Use	: -
Ingredient	: -
MSDS or SDS Provided	: Yes
Supplemental Chemical Formulation	: Yes
Information Form Provided	: -
Character	: Flammability: Nonflammable Solubility: Water Soluble Ionicity: Amphiprotic Others:-
Batch/Lot No.	: -
Color	: Yellow
End Product Buyer Name	: -
Manufacturer's Name	: Shandong Denosen Environmental Protection Material Technology Co., Ltd
Agent Name	: -
End Use	: Textile Processing
Sample Submitted Status	: Sealed in Polybag

Authorized By :
For Intertek Testing Services
(Tianjin) Ltd.

Patrick Gong

Patrick Gong
General Manager of Softlines


Conclusion:



<u>Tested Sample</u>	<u>Standard</u>	<u>Result</u>
	As Per ZDHC Manufacturing Restricted Substances List Version 3.1	
	Chapter 1: MRSL for Textiles Processing	
Submitted Sample	- Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	Pass
	- Anti-Microbials & Biocides	Pass
	- Chlorobenzenes and Chlorotoluenes	Pass
	- Chlorophenols	Pass
	- Dyes – Azo (Forming Restricted Amines)	Pass
	- (Free) Aniline	Pass
	- Dyes – Carcinogenic or Equivalent Concern	Pass
	- Dyes –Allergenic Disperse Dyes	Pass
	- Polycyclic Aromatic Hydrocarbons (PAHs)	Pass
	- Total Heavy Metals	Pass
	- Organic Solvents Content	Pass
	- Quinoline	Pass

Expiry Date:	Nov 24, 2027
---------------------	--------------

Authorized By :
For Intertek Testing Services
(Tianjin) Ltd.



Patrick Gong
General Manager of Softlines



Tests Conducted:

- 1 Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers:

With Reference To ISO 18254-1:2016 and ISO 21084:2019, By Dissolution in Organic Solvent And Followed By Liquid Chromatographic - Mass Spectrometric (LC-MS) Analysis.

<u>Compound</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Formulation Limit In ppm</u>
Nonylphenol (NP), mixed isomers	104-40-5 11066-49-2 25154-52-3 84852-15-3	ND	Sum: 100
Octylphenol (OP), mixed isomers	140-66-9 1806-26-4 27193-28-8	ND	Sum: 100
Octylphenol ethoxylates (OPEO)	9002-93-1 9036-19-5 68987-90-6	ND	Sum: 250
Nonylphenol ethoxylates (NPEO)	9016-45-9 26027-38-3 37205-87-1 68412-54-4 127087-87-0	ND	Sum: 250

Remark : ppm = parts per million = mg/kg

ND = Less than Reporting Limit

Reporting Limit = 100 ppm for NP and OP; 250 ppm for NPEO and OPEO

Tests Conducted :

2 Anti-Microbials & Biocides:

With Reference to ISO 16186:2021, ISO 22992-1, EN 17134, ISO 13365-1, By Solvent Extraction And Gas Chromatographic Analysis Using Mass Spectrometric Or Electron Capture Detector Or Followed By Liquid Chromatographic – Mass Spectrometric (LC-MS) Analysis.

<u>Compound</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Formulation Limit In ppm</u>
Dimethylfumarate (DMFu)	624-49-7	ND	10
o-Phenylphenol	90-43-7	ND	5000
Permethrin	52645-53-1	ND	250
Triclosan	3380-34-5	ND	250

Remark : ppm = parts per million = mg/kg

ND = Less than Reporting Limit

Reporting Limit = 10 ppm for DMFu, 5000 ppm for o-Phenylphenol; 250 ppm for Permethrin/ Triclosan

Tests Conducted :

3 Organic Solvents Content:

With Reference TO ISO 16189:2021, By Dissolution in Organic Solvent And Followed By Gas Chromatography-Mass Spectrometry (GC-MS) Analysis.

<u>Compound</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Formulation Limit In ppm</u>
Benzene	71-43-2	ND	50
Xylene	1330-20-7	ND	500
o-Xylene	95-47-6		
m-Xylene	108-38-3		
p-Xylene	106-42-3		
Cresol (all isomers)	1319-77-3	ND	500
o-Cresol	95-48-7		
m-Cresol	108-39-4		
p-Cresol	106-44-5		
N,N-Dimethylacetamide (DMAC)	127-19-5	ND	1000
N,N-Dimethylformamide (DMFa)	68-12-2	ND	1000
N-Ethyl-2 pyrrolidone (NEP)	2687-91-4	ND	1000
N-Methyl-2-Pyrrolidone (NMP)	872-50-4	ND	1000
Toluene	108-88-3	ND	500

Remark : ppm = parts per million = mg/kg

ND = Less than Reporting Limit

Reporting Limit = 20 ppm for Benzene and 200 ppm for others

Tests Conducted :

4 Chlorobenzenes and Chlorotoluenes:

With reference to EN 17137: 2018, By Dissolution in Organic Solvent And Followed By Gas Chromatography- Mass Spectrometry (GC-MS) Analysis.

<u>Compound</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Formulation Limit In ppm</u>
Monochlorobenzene	108-90-7	-	-
Dichlorobenzenes	Various	-	-
Trichlorobenzenes	Various	-	-
Tetrachlorobenzenes	Various	-	-
Pentachlorobenzene	608-93-5	-	-
Hexachlorobenzene	118-74-1	-	-
Monochlorotoluenes	Various	-	-
Dichlorotoluenes	Various	-	-
Trichlorotoluenes	Various	ND	10
Tetrachlorotoluenes	Various	ND	10
Pentachlorotoluene	877-11-2	-	-
Sum Of Above Compounds	--	ND	200
1,2-dichlorobenzene	95-50-1	ND	500

Remark : ppm = parts per million = mg/kg

ND = Less than Reporting Limit

Reporting Limit = 500 ppm For 1,2-dichlorobenzene;

10 ppm for Trichlorotoluenes/ Tetrachlorotoluenes;

200 ppm (Sum) For Other Compounds

Tests Conducted :

5 Chlorophenols:

With Reference to DIN 50009:2021, By Dissolution in KOH, Followed By Liquid-liquid Extraction to Potassium Carbonate Solution. Derivatization with Acetic Anhydride and Followed By Gas Chromatography- Mass Spectrometry (GC-MS) Analysis.

<u>Compound</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Formulation Limit In ppm</u>
2-chlorophenol	95-57-8	-	--
3-chlorophenol	108-43-0	-	--
4-chlorophenol	106-48-9	-	--
2,3-dichlorophenol	576-24-9	-	--
2,4-dichlorophenol	120-83-2	-	--
2,5-dichlorophenol	583-78-8	-	--
2,6-dichlorophenol	87-65-0	-	--
3,4-dichlorophenol	95-77-2	-	--
3,5-dichlorophenol	591-35-5	-	--
2,4,5-trichlorophenol	95-95-4	-	--
2,4,6-trichlorophenol	88-06-2	-	--
2,3,4-trichlorophenol	15950-66-0	-	--
2,3,5-trichlorophenol	933-78-8	-	--
3,4,5-trichlorophenol	609-19-8	-	--
2,3,6-trichlorophenol	933-75-5	-	--
Sum Of Above Compounds	--	ND	50
2,3,4,5-Tetrachlorophenol	4901-51-3	-	--
2,3,4,6-Tetrachlorophenol	58-90-2	-	--
2,3,5,6-Tetrachlorophenol	935-95-5	-	--
Sum Of Above Compounds	--	ND	15
Pentachlorophenol (PCP)	87-86-5	ND	5

Remark : ppm = parts per million = mg/kg

ND = Less than Reporting Limit

Reporting Limit = 50 ppm for sum of Chlorophenols except Tetrachlorophenol & Pentachlorophenol
15 ppm for sum of Tetrachlorophenol and 5 ppm for Pentachlorophenol

Tests Conducted :

6 Dyes – Allergenic Disperse Dyes:

With reference to DIN 54231: 2022, By Dissolution in Organic Solvent Extraction And Followed By Liquid Chromatographic – Tandem Mass Spectrometric (LC/MS/MS) Analysis.

<u>Compound</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Formulation Limit In ppm</u>
Disperse Yellow 1	119-15-3	ND	250
Disperse Blue 102	12222-97-8	ND	250
Disperse Blue 106	12223-01-7	ND	250
Disperse Yellow 39	12236-29-2	ND	250
Disperse Orange 37/59/76	13301-61-6	ND	250
Disperse Brown 1	23355-64-8	ND	250
Disperse Orange 1	2581-69-3	ND	250
Disperse Yellow 3	2832-40-8	ND	250
Disperse Red 11	2872-48-2	ND	250
Disperse Red 1	2872-52-8	ND	250
Disperse Red 17	3179-89-3	ND	250
Disperse Blue 7	3179-90-6	ND	250
Disperse Blue 26	3860-63-7	ND	250
Disperse Yellow 49	54824-37-2	ND	250
Disperse Blue 35	12222-75-2 56524-77-7	ND	250
Disperse Blue 124	61951-51-7	ND	250
Disperse Yellow 9	6373-73-5	ND	250
Disperse Orange 3	730-40-5	ND	250

Remark : ppm = parts per million = mg/kg
ND = Less than Reporting Limit
Reporting Limit = 100 ppm

Tests Conducted :

7 Dyes - Carcinogenic or Equivalent Concern:

With reference to DIN 54231:2022, By Dissolution in Organic Solvent And Followed By Liquid Chromatographic – Tandem Mass Spectrometric (LC/MS/MS And HPLC) Analysis.

<u>Compound</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Formulation Limit In ppm</u>
C.I. Direct Black 38	1937-37-7	ND	250
C.I. Direct Blue 6	2602-46-2	ND	250
C.I. Acid Red 26	3761-53-3	ND	250
C.I. Basic Red 9	569-61-9	ND	250
C.I. Direct Red 28	573-58-0	ND	250
C.I. Basic Violet 14	632-99-5	ND	250
C.I. Disperse Blue 1	2475-45-8	ND	250
C.I. Disperse Blue 3	2475-46-9	ND	250
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	ND	250
C.I. Basic Green 4 (malachite green chloride, malachite green oxalate, malachite green)	569-64-2 2437-29-8 10309-95-2	ND	250
C.I. Basic Green 4 leuco base	129-73-7	ND	250
C.I. Disperse Orange 11	82-28-0	ND	250
C.I. Acid Violet 49	1694-09-3	ND	250
C.I. Basic violet 3 with >0.1% of Michler's Ketone	548-62-9	ND	250

Remark : ppm = parts per million = mg/kg
ND = Less than Reporting Limit
Reporting Limit = 100 ppm

Tests Conducted :

8 Polycyclic Aromatic Hydrocarbons (PAHs):

With Reference to AfPS GS 2019:01 PAK, By Solvent Extraction And Followed By Gas Chromatography- Mass Spectrometry (GC-MS) Analysis.

No.	Compound	CAS No.	Result In ppm	Formulation Limit In ppm
1	Benzo[a]pyrene (BaP)	50-32-8	ND	20
2	Anthracene	120-12-7	--	--
3	Pyrene	129-00-0	--	--
4	Benzo[ghi]perylene	191-24-2	--	--
5	Benzo[e]pyrene	192-97-2	--	--
6	Indeno[1,2,3-cd] pyrene	193-39-5	--	--
7	Benzo[j]fluoranthene	205-82-3	--	--
8	Benzo[b]fluoranthene	205-99-2	--	--
9	Fluoranthene	206-44-0	--	--
10	Benzo[k]fluoranthene	207-08-9	--	--
11	Acenaphthylene	208-96-8	--	--
12	Chrysene	218-01-9	--	--
13	Dibenzo[a,h]anthracene	53-70-3	--	--
14	Benzo[a]anthracene	56-55-3	--	--
15	Acenaphthene	83-32-9	--	--
16	Phenanthrene	85-01-8	--	--
17	Fluorene	86-73-7	--	--
18	Naphthalene	91-20-3	--	--
	Sum Of No. 2~18 PAHs	--	ND	200

Remark : ppm = parts per million = mg/kg

ND = Less than Reporting Limit

Reporting Limit = 10 ppm for Benzo[a]pyrene

100 ppm for sum of other PAHs

Tests Conducted :

9 Detection Of Amines Derived From Azocolourants and Azodyes:

By Gas Chromatographic - Mass Spectrometric (GC-MS) Analysis.

Test Method : With reference to EN ISO 14362-1 : 2017 Annex F

	<u>Forbidden</u>	<u>Cas No.</u>	<u>Result</u>
1.	4-Aminodiphenyl	92-67-1	N
2.	Benzidine	92-87-5	N
3.	4-Chloro-o-Toluidine	95-69-2	N
4.	2-Naphthylamine	91-59-8	N
5.	o-Aminoazotoluene	97-56-3	N
6.	2-Amino-4-Nitrotoluene	99-55-8	N
7.	p-Chloroaniline	106-47-8	N
8.	2,4-Diaminoaniso	615-05-4	N
9.	4,4'-Diaminodiphenylmethane	101-77-9	N
10.	3,3'-Dichlorobenzidine	91-94-1	N
11.	3,3'-Dimethoxybenzidine	119-90-4	N
12.	3,3'-Dimethylbenzidine	119-93-7	N
13.	3,3'-Dimethyl-4,4'diaminodiphenylmethane	838-88-0	N
14.	p-Cresidine	120-71-8	N
15.	4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	N
16.	4,4'-Oxydianiline	101-80-4	N
17.	4,4'-Thiodianiline	139-65-1	N
18.	o-Toluidine	95-53-4	N
19.	2,4-Toluylenediamine	95-80-7	N
20.	2,4,5-Trimethylaniline	137-17-7	N
21.	o-Anisidine	90-04-0	N
22.	p-Aminoazobenzene	60-09-3	N
23.	2,6-xylidine	87-62-7	N
24.	2,4-xylidine	95-68-1	N
25.	2-Naphthylammoniumacetate^	553-00-4	N
26.	4-chloro-otoluidinium chloride^	3165-93-3	N
27.	4-methoxy-mphenylene diammonium sulphate; 2,4-diaminoaniso	39156-41-7	N
28.	2,4,5-trimethylaniline hydrochloride^	21436-97-5	N

Tests Conducted :

Detection Of Amines Derived From Azocolourants and Azodyes(Cont'd)

Remark : N = Less than Reporting Limit
Reporting limit = 50 ppm
ppm = parts per million = mg/kg

Limit : 150 ppm Max.

^ = The Determination Was Based On The Arylamine Analysis And Result Was Calculated Based On Worst Scenario.

10 (Free) Aniline:

With Reference to EN ISO 14362-1 : 2017 Annex F Without Reductive Step, By Gas Chromatographic-Mass Spectrometric (GC-MS) Analysis.

<u>Compound</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Formulation Limit In ppm</u>
(Free) Aniline	62-53-3	ND	500

Remark : ppm = parts per million = mg/kg
ND = Less than Reporting Limit
Reporting Limit = 50 ppm

Tests Conducted :

11 Total Heavy Metal Contents:

With reference to DIN EN 16711-1:2016, By Microwave Acid Digestion And Followed By Inductively Coupled Argon Plasma Spectrometry (ICP-OES) Analysis.

For Chromium VI (Cr VI) Confirmation and Quantitation, With Reference To ISO 17075-1 :2017 or ISO 17075-2:2017, Followed By UV-Visible Spectrophotometer (UV-Vis) or Ion-exchange Chromatograph with UV Detector (IC-UV) Analysis.

<u>Elements</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Reporting Formulation Limit In ppm</u>	<u>Formulation Limit In ppm</u>
Tot. Arsenic (As)	7440-38-2	ND	5	50
Tot. Cadmium (Cd)	7440-43-9	ND	2	20
Tot. Mercury (Hg)	7439-97-6	ND	0.5	4
Tot. Lead (Pb)	7439-92-1	ND	10	100
Chromium VI (Cr VI)	18540-29-9	ND#	10	10
Tot. Antimony (Sb)	7440-36-0	ND	5	50
Tot. Chromium (Cr)	7440-47-3	ND	10	100
Tot. Copper (Cu)	7440-50-8	ND	25	250
Tot. Nickel (Ni)	7440-02-0	ND	20	250
Tot. Tin (Sn)	7440-31-5	ND	25	250
Tot. Barium (Ba)	7440-39-3	ND	10	100
Tot. Cobalt (Co)	7440-48-4	ND	50	500
Tot. Selenium (Se)	7782-49-2	ND	5	20
Tot. Silver (Ag)	7440-22-4	ND	10	100

Remark : ppm = parts per million = mg/kg

ND = Less than Reporting Limit

= test result of chromium VI was based on total chromium content

Tests Conducted :

12 Quinoline:

With reference to DIN 54231: 2022, By Dissolution in Organic Solvent And Followed By Liquid Chromatographic – Tandem Mass Spectrometric (LC/MS/MS) Analysis.

<u>Compound</u>	<u>CAS No.</u>	<u>Result In ppm</u>	<u>Formulation Limit In ppm</u>
Quinoline	91-22-5	ND	1000

Remark : ppm = parts per million = mg/kg
ND = Less than Reporting Limit
Reporting Limit = 500 ppm

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.